# KANSAS DEPARTMENT OF CORRECTIONS

	INTERNAL	SEC	CTION NUMBER	PAGE NUMBER
DOC	MANAGEMENT		09-102	1 of 6
DOC Serving Kuscox	POLICY AND	SUBJECT: SAFETY, SANITATION AND INSPECTIONS: Housekeeping Plans and Health and Sanitation Inspections		
	Procedure			
Approved By:  Secretary of Corrections		·		08-15-82
		Current Amendment Effective: 02-13-06		
		Replace	es Amendment Issue	d: 12-21-03
Reissued By:  Policy & Procedure Coordinate			of IMPP 01-101. Th	r the appropriate provisions ne only modifications within the nent concern technical
		ator	Date Reissued:	03-31-11

## **POLICY**

To ensure that staff are provided clean, safe, and sanitary working conditions and inmates are housed, work, study, exercise, and receive health care in a clean, safe and healthy environment, all facilities and offices shall comply with applicable health, safety, and sanitation codes and regulations. (ACO 2-2A-01, 2-3B-01, 2-4C-01, ACI 3-4310, NCCHC P-15)

Each warden, in consultation with the health authority, shall develop comprehensive housekeeping plans for all areas of the facility, which address specific tasks, frequency, and designation of responsibilities for tasks. (NCCHC P-15) Procedures shall be developed which ensure daily housekeeping and regular maintenance by assigning specific duties and responsibilities to staff and inmates. (ACI 3-4314) Wardens shall include in the housekeeping plan provisions to: ensure that all refuse is collected, stored and disposed of in accordance with a plan approved by the appropriate regulatory agency; (NCCHC P-15, ACO 2-4D-01, ACI 3-4312) ensure for the control of vermin, insects and pests (ACI 3-4313) and the disinfecting of laundry or parasite-infected materials; (NCCHC P-17) require weekly and monthly health and sanitation inspections of all internal and external areas of the facility and equipment to be conducted by qualified staff; (ACO 2-4C-01, 2-4D-01, ACI 3-4305, 3-4310) ensure weekly inspections of all food service areas, including dining and preparation areas and equipment and, to provide for inspection and corrective action reports to be submitted to the warden. The warden shall make such reports accessible to the facility health authority for review. (NCCHC P-15)

An annual health and sanitation inspection of each facility shall be conducted by an independent inspector to monitor the facility's compliance with applicable federal and state laws, regulations, codes, guidelines, and accreditation standards, including food service facilities and equipment. The inspection report shall be reviewed by the warden or designee and corrective actions shall be required in response to any deficiencies noted. (ACO 2-2A-02, 2-4C-01, 2-4D-01, ACI 3-4302, 3-4310)

The potable water source and supply at each facility shall be tested and certified by an independent, outside source to be in compliance with jurisdictional laws and regulations. (ACO 2-4D-01, ACI 3-4311)

Facilities shall maintain energy efficient thermostat settings, with such devices located in housing, program, and exercise areas to be set not higher than 68 degrees Fahrenheit during winter heating and, where tempered air is available, not lower than 78 degrees Fahrenheit during summer cooling. In other areas of the facilities, the settings shall be set at not more than 72 degrees Fahrenheit for heating, or less than 72 degrees Farenheit for cooling.

General orders developed to implement this policy shall be in consultation with the facility health authority. (NCCHC P-15)

#### **DEFINITIONS**

<u>Designated Health and Sanitation Officer</u>: The staff member(s), designated by the warden, who has completed minimum training requirements in accordance with IMPP 03-118 and is familiar with applicable health and sanitation regulations and monthly inspection documentation procedures.

<u>Fixed Equipment</u>: Equipment directly related to building systems, supportive of them, and including such items as elevators, mechanical components (heating, cooling, and ventilation), lighting components, etc.

<u>Independent inspector</u>: A Kansas Department of Corrections staff member, not an employee of the facility being inspected, who has completed the minimum training requirements in accordance with IMPP 03-118.

<u>Inspection Facilitator:</u> The person designated by the Deputy Secretary of Facility Management as responsible for coordinating the inspection activities and reviewing inspection findings.

<u>Non-fixed equipment</u>: Equipment directly related to specific activities of the space, supportive of them, and including such items as shop equipment, kitchen equipment, beds, office furniture, washers, dryers, athletic equipment, etc.

Qualified staff: Any staff member who has completed minimum training requirements in accordance with IMPP 03-118 and is familiar with weekly and monthly inspection documentation procedures.

### **PROCEDURE**

- I. Housekeeping Plans: Daily Maintenance and Weekly/Monthly Health and Sanitation Inspections Established by General Orders
  - A. The facility shall establish General Orders and/or Post Orders, which identify all areas of the facility to receive inspections and assign responsibility for daily maintenance and cleaning, and for the weekly and monthly inspection of each area identified. General orders shall include a mechanism to ensure that deficiencies are addressed consistent with Section I.D., below, and according to the degree of their threat to the health, safety, and security of the facility.
    - 1. Written housekeeping plans shall be developed which address all areas of the facility and provide for daily housekeeping and maintenance by assigning specific duties and responsibilities to staff and inmates. (ACO 2-4D-01, ACI 3-4314)
    - Dinning and food preparation areas and equipment shall be inspected weekly by either administrative, medical, or dietary personnel or the food service supervisor or designee. Refrigerator, freezer, and food service water temperatures shall be checked and recorded daily. (ACI 3-4305)
  - B. Weekly inspections of all areas except food service shall be conducted by qualified staff and shall be documented on the Weekly Inspection Report (Form #09-101-001). Weekly inspections of food service areas shall be documented on the Weekly Health and Sanitation Report Food Service and Dining Areas Only (Attachment B, Form #09-102-002). Copies of weekly inspection reports shall be immediately forwarded to the warden and facility health authority or designee(s). (ACO 2-4D-01)
    - 1. Following receipt by the warden or designee, the report shall be distributed according to local procedures established by each facility.
  - C. Monthly inspections shall be conducted by the designated health and sanitation officer and shall be documented on the respective Monthly Health and Sanitation Inspection Report:
    - 1. Inspections of facility areas other than food service and dining areas shall be reported on Attachment A, Form #09-102-001.

- 2. Inspections of food service and dining areas shall be reported on Attachment  $\frac{DC}{C}$ , Form #09-102-003. (ACO 2-4C-01)
- D. Any deficiencies shall be reported on the Monthly Inspection Deficiency Report (see IMPP 09-101).
- E. A copy of the Monthly Health and Sanitation Inspection reports and any Monthly Inspection Deficiency report shall be forwarded to the warden and facility health authority or designee(s) within seven (7) working days of their completion. (NCCHC P-15)
- F. Unresolved deficiencies which are noted on consecutive monthly inspection reports shall require a Corrective Action Status Report, to be prepared within seven (7) working days of completion of the inspection (per Section I.C. above), by the staff member responsible for the maintenance/supervision of the inspected areas, for information and review by the warden and facility health authority or designee(s).

### II. Annual Health and Sanitation Inspections

- A. A health and sanitation inspection of each facility, including food service facilities and equipment, shall be conducted annually by an independent inspector. (ACO 2-2A-02, 2-4D-01, 2-4C-01, ACI 3-4302)
- B. The annual health and sanitation inspection shall monitor the facility's compliance with all applicable federal and state laws, regulations, codes, guidelines, and accreditation standards.
- C. Within forty-five (45) days after receipt of the independent inspector's report, or, as directed by the independent inspector, the warden shall submit a corrective action report. The corrective action report shall be submitted to the Deputy Secretary of Facility Management's designee and the report shall include:
  - 1. A summary of corrective action and/or a plan of action for each deficiency noted; and,
  - 2. A description of equipment, funding or other needs with respect to future corrective action.
- D. The Deputy Secretary of Facility Management's designee shall, within fifteen (15) working days of receipt of the corrective action report:
  - 1. Review the report; (ACO 2-2A-02)
  - 2. Address any questions regarding the report to the warden and/or the independent inspector:
  - 3. Review the report with the Deputy Secretary of Facility Management and
  - 4. Make any necessary comments regarding the report;
- E. The Inspection Facilitator may, during routine facility inspections or as directed by the Deputy Secretary of Facility Management or the warden, review facility progress with corrective action measures for deficiencies identified in any previous inspection report. (ACO 2-2A-02)
  - 1. The warden shall file a Corrective Action Status Report at intervals required by the Deputy Secretary of Facility Management or designee until the deficiencies identified in the annual inspection report are sufficiently addressed.

### III. Designation and Training of Health and Sanitation Officers

- A. Each warden shall designate a minimum of one (1) primary and one (1) reserve health and sanitation officer.
- B. Training of the facility's primary health and sanitation officer(s) and reserve health and sanitation officer(s) shall be in accordance with IMPP 03-118.

### IV. Responsibilities of the Health and Sanitation Officers

- A. Primary health and sanitation officers shall:
  - 1. Accompany and participate in all inspections by independent inspectors;
    - a. In the event of a scheduling conflict, or, in the absence of the primary health and sanitation officer, the reserve health and sanitation officer or another facility staff member designated by the warden shall accompany the inspectors.
  - 2. Ensure training of staff responsible for conducting weekly inspections;
  - 3. Conduct comprehensive and thorough monthly health and sanitation inspections of all facility areas; and,
  - 4. Review all weekly inspection, monthly inspection, and corrective action reports.
- B. In the absence of conflicts, reserve health and sanitation officers shall participate in all inspections conducted by independent inspectors and no less than two (2) monthly internal health and sanitation inspections annually.

### V. Responsibilities of the Inspection Facilitator

- A. The Inspection Facilitator shall arrange for and confirm mutually acceptable times and dates for at least an annual inspection for the respective facility, by an independent inspector.
  - 1. The inspection schedule for the following calendar year shall be completed and submitted to the Deputy Secretary of Facility Management's designee no later than November 1 of each year.
  - 2. Changes in the established schedule shall be conveyed by the Inspection Facilitator.
- B. The Inspection Facilitator shall keep the respective wardens and Deputy Secretary of Facility Management advised, either verbally or in writing, of the content of any contacts with KDHE regarding the respective facilities.

## VI. Responsibilities of Designated Staff in the Facility Management Division

- A. The Deputy Secretary of Facility Management shall designate a staff member to serve as the contact person with the Kansas Department of Health and Environment on matters pertaining to:
  - 1. Building codes as they affect new construction and renovation projects;
  - 2. Fixed equipment requirements; and,

- 3. Environmental issues such as asbestos, toxic waste, underground fuel storage tanks, etc.
- B. All facility inquiries pertaining to the matters specified in Section VI.A. shall be directed to the Division of Facility Management contact person.
  - 1. Questions arising out of such discussions requiring further information from the Department of Health and Environment shall be resolved through contacts initiated by the designated contact person.
  - 2. The designated contact person shall keep the wardens advised, either verbally or in writing, of the content of any contacts with KDHE involving their respective facilities.
  - 3. When directed to do so by the contact person, facility staff may initiate such contact.

NOTE: The policy and procedures set forth herein are intended to establish directives and guidelines for staff and offenders and those entities that are contractually bound to adhere to them. They are not intended to establish State created liberty interests for employees or offenders, or an independent duty owed by the Department of Corrections to employees, offenders, or third parties. Similarly, those references to the standards of various accrediting entities as may be contained within this document are included solely to manifest the commonality of purpose and direction as shared by the content of the document and the content of the referenced standards. Any such references within this document neither imply accredited status by a Departmental facility or organizational unit, nor indicate compliance with the standards so cited. The policy and procedures contained within this document are intended to be compliant with all applicable statutes and/or regulatory requirements of the Federal Government and the state of Kansas. This policy and procedure is not intended to establish or create new constitutional rights or to enlarge or expand upon existing constitutional rights or duties.

### **REPORTS REQUIRED**

Name/Type of Report	By Whom/To Whom	<u>Due</u>	
Weekly Inspection Report	Qualified staff to warden or designee	Weekly	
Monthly Health and Sanitation Inspection Report	Health & sanitation officer to warden or designee	Monthly	
Monthly Inspection Deficiency Report	Health & sanitation officer to warden or designee	Monthly	
Corrective Action Status Report	Staff person responsible for the maintenance/ supervision of the inspected area to warden or designee	Within 7 working days of completion of a monthly inspection report where unresolved deficiencies are noted	
Annual Inspection Corrective Action Report	Warden to Deputy Secretary of Facility Management or Designee	Within 45 days of receipt of annual inspection report or as directed	
Warden's Corrective Action Status Report	Warden to Deputy Secretary of Facility Management or designee	Monthly or as required	

#### **REFERENCES**

K.S.A. 65-101, 65-161 - 65-173, 75-5228, 76-125 IMPP 09-101 ACO 2-2A-01, 2-2A-02, 2-3B-01, 2-4C-01, 2-4D-01 ACI 3-4134, 3-4302, 3-4305, 3-4306, 3-4310, 3-4313, 3-4314, 3-4315 NCCHC P-15

### **ATTACHMENTS**

Attachment A - Monthly Health and Sanitation Report, 1 page

Attachment B - Weekly Health and Sanitation Report - Food Service and Dining Areas Only, 1 page

Attachment C - Monthly Health and Sanitation Report - Food Service and Dining Areas Only, 1 page

# MONTHLY HEALTH AND SANITATION INSPECTION REPORT

(Applies to all areas except Food Service and Dining)

Current Month A HOUSEKEEPING Witten housekeeping procedures are available which address all areas and assign specific duties.    1	Facility	, 		Area Inspected	Building	Month of
Month Month A. HOUSEKEEPING  1. Withis housekeeping procedures are available which address all areas and assign specific duties.  2. Garbage and waste are properly stored and disposed of.  3. Non-disposable containers are cleaned and sanitized after each use.  4. Lobby areas are clean, well lighted, free of hazards.  5. Comforts and walkeysy sare clean, well lighted, free of hazards.  6. Stairs are clean, well lighted, free of hazards.  6. Stairs are clean, well lighted, free of hazards.  7. Stairs are clean, well lighted, free of hazards.  8. Collings are clean and in good repair.  8. Collings are clean and in good repair.  9. Floors are clean and in good repair.  10. Premises are neat, clean, free of hazards.  11. Outer openings are provided with adequate protection from bug/rodent infestation.  12. Landscaping is free from weeds, transl.  13. Furnishings and bedding first free from liter and dust.  14. Available bedding secret form weeds, transl.  15. Individual room/cell is clean, free for hit era nd dust.  16. Closel-wider/dok-assigned clothes braiging are is available for each resident.  18. Calling mounted and portable fans are clean and in good repair.  19. All cleaning tools and equipment are clean, properly stored, and in good repair.  8. LAUNDRY  1. Adequate hand washing facilities are available.  2. Adequate storage space exists for supplies.  3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if alundry chemicals suitable for low-temperature washing are used at proper concentrations.  2. Adequate shorage space exists for supplies.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  2. Adequate hand washing, shower, and tolet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Solied and clean insuling is separated.  5. Restroom walks, grouting, celling, floors, miror, and all attachments are clean and in good repair.  2. Adequat	Current	Previous				
2. Garbage and waste are properly stored and disposed of. 3. Non-disposable containers are cleaned and sanitized after each use. 4. Lobby areas are clean, well lighted, free of hazards. 5. Corridors and walkways are clean, well lighted, free of hazards. 6. Stairs are clean, well lighted, free of hazards. 7. Walls, windows and doors are clean and in good repair. 8. Cellings are clean and in good repair. 9. Floors are clean and in good repair. 9. Floors are clean and in good repair. 10. Premises are neat, clean, free of rubbish. 11. Cuter openings are provided with adequate protection from bug/rodent infestation. 12. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) individual room/cell is clean, free from litter and dust. 15. Individual room/cell is clean, free from litter and dust. 16. Close/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celing mounted and portable fars are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair. 20. Adequate shorage space exists for supplies. 21. Adequate hand washing facilities are available. 22. Adequate sorrage space exists for supplies. 23. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 23. Solied and clean laundry is separated. 24. Solied and clean laundry is separated. 25. Window screens are in place and maintained in good repair. 26. RESTROOM/SHOWER FACILITIES. 27. Adequate hand washing, shower, and toalit facilities are available. 28. All facing are clean and in good repa				HOUSEKEEPING		
3. Non-disposable containers are cleaned and sanitized after each use. 4. Lobby areas are clean, well lighted, free of hazards. 5. Corridors and walkways are clean, well lighted and free of hazards. 6. Stairs are clean, well lighted, free of hazards. 7. Walls, windows and doors are clean and in good repair. 8. Ceilings are clean and in good repair. 9. Floors are clean and in good repair. 9. Floors are clean and in good repair. 10. Premises are neat, clean, free of rubbish. 11. Outer openings are provided with adequate protection from bug/rodent infestation. 12. Landscaping is free from weeds, treat, etc.) are clean and in good repair. 13. Furnishings and bedding inattiess, blank, etc.) are clean and in good repair. 14. Available bedding inattiess, blank, etc.) are clean and in good repair. 15. Individual room/cell is clean, free from litter and dust. 16. Cell ward-bod-saiggred dolthes harging area is available for each resident. 17. Cell ward-bod-saiggred dolthes harging area is available for each resident. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair. 19. Adequate hand washing facilities are available. 20. Adequate storage space exists for supplies. 21. Adequate storage space exists for supplies. 22. Adequate storage space exists for supplies. 23. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperature washing are used at proper concentrations. 24. Soiled and clean laundry is separated. 25. Window screens are in place and maintained in good repair. 26. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 27. Adequate to hard washing, shower, and tolet facilities are available. 28. Adequate to hard washing, shower, and tolet facilities are available. 39. Floors are maintained in good repair. 39. Floors are maintained in good repair. 39. Floors are available. 30. Floors are maintained in good repair. 30. Floors are maintaine			1.			ess all areas and assign specific duties.
3. Non-disposable containers are cleaned and sanitized after each use. 4. Lobby areas are clean, well lighted, free or hazards. 5. Corridors and walkways are clean, well lighted and free of hazards. 6. Stairs are clean, well lighted, free or hazards. 7. Walls, windows and doors are clean and in good repair. 8. Cellings are clean and in good repair. 9. Floors are clean and in good repair. 10. Permises are neat, clean, free of rubbish. 11. Outer openings are provided with adequate protection from bug/rodent infestation. 12. Land the provided with adequate protection from bug/rodent infestation. 13. Fusibilitys and bedding (mattress balawke, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' immate population. (ACI 3-4315) individual romoricel is clean, free from litter and dust. 15. Individual romoricel is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light flotures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair. 20. Adequate thand washing facilities are available. 21. Adequate thand washing facilities are available. 22. Adequate storage space exists for supplies. 23. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 23. Commodes and unardy is separated. 24. Solide and clean alundry is separated. 25. Restroom walls; grouting, celling, floors, mirror, and all attachments are clean and in good repair. 26. Restroom walls; grouting, celling, floors, mirror, and all attachments are clean and in good repair. 27. Chairmise and the commodes and unique are available. 28. Solide and clean laundry is separated.			2.			
12. Landscaping is free from weeds, trash. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) Individual room/cell is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair.  B. LAUNDRY A dequate hand washing facilities are available. A dequate storage space exists for supplies. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper trowel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and hathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostalically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholostery. 8. All hazardous material				•		each use.
12. Landscaping is free from weeds, trash. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) Individual room/cell is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair.  B. LAUNDRY A dequate hand washing facilities are available. A dequate storage space exists for supplies. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper trowel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and hathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostalically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholostery. 8. All hazardous material						
12. Landscaping is free from weeds, trash. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) Individual room/cell is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair.  B. LAUNDRY A dequate hand washing facilities are available. A dequate storage space exists for supplies. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper trowel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and hathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostalically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholostery. 8. All hazardous material						azards.
12. Landscaping is free from weeds, trash. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) Individual room/cell is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair.  B. LAUNDRY A dequate hand washing facilities are available. A dequate storage space exists for supplies. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper trowel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and hathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostalically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholostery. 8. All hazardous material				•		
12. Landscaping is free from weeds, trash. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) Individual room/cell is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair.  B. LAUNDRY A dequate hand washing facilities are available. A dequate storage space exists for supplies. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper trowel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and hathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostalically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholostery. 8. All hazardous material						
12. Landscaping is free from weeds, trash. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) Individual room/cell is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair.  B. LAUNDRY A dequate hand washing facilities are available. A dequate storage space exists for supplies. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper trowel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and hathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostalically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholostery. 8. All hazardous material						
12. Landscaping is free from weeds, trash. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) Individual room/cell is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair.  B. LAUNDRY A dequate hand washing facilities are available. A dequate storage space exists for supplies. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper trowel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and hathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostalically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholostery. 8. All hazardous material						
12. Landscaping is free from weeds, trash. 13. Furnishings and bedding (mattress, blanket, etc.) are clean and in good repair. 14. Available bedding exceeds needs for the housing units' inmate population. (ACI 3-4315) Individual room/cell is clean, free from litter and dust. 16. Closet/wardrobe/assigned clothes hanging area is available for each resident. 17. Light fixtures are clean and in good repair. 18. Celling mounted and portable fans are clean and in good repair. 19. All cleaning tools and equipment are clean, properly stored, and in good repair.  B. LAUNDRY A dequate hand washing facilities are available. A dequate storage space exists for supplies. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, celling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper trowel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and hathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostalically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholostery. 8. All hazardous material						hug/rodent infestation
10.						bug/rodont infestation.
10.						and in good repair.
10.						
B. LAUNDRY 1. Adequate hand washing facilities are available. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 3. Soiled and clean laundry is separated. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair. 4. Adequate hand washing, shower, and toilet facilities are available. 4. Adequate hand vashing, shower, and toilet facilities are available. 4. Suitable hand cleansers, paper towel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and bathtubs are clean and asmitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be ch						and population (Fib. 6 1616)
B. LAUNDRY 1. Adequate hand washing facilities are available. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 3. Soiled and clean laundry is separated. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair. 4. Adequate hand washing, shower, and toilet facilities are available. 4. Adequate hand vashing, shower, and toilet facilities are available. 4. Suitable hand cleansers, paper towel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and bathtubs are clean and asmitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be ch						for each resident.
B. LAUNDRY 1. Adequate hand washing facilities are available. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 3. Soiled and clean laundry is separated. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair. 4. Adequate hand washing, shower, and toilet facilities are available. 4. Adequate hand vashing, shower, and toilet facilities are available. 4. Suitable hand cleansers, paper towel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and bathtubs are clean and asmitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be ch						
B. LAUNDRY 1. Adequate hand washing facilities are available. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 3. Soiled and clean laundry is separated. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair. 4. Adequate hand washing, shower, and toilet facilities are available. 4. Adequate hand vashing, shower, and toilet facilities are available. 4. Suitable hand cleansers, paper towel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and bathtubs are clean and asmitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be ch						pair.
B. LAUNDRY 1. Adequate hand washing facilities are available. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 3. Soiled and clean laundry is separated. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair. 4. Adequate hand washing, shower, and toilet facilities are available. 4. Adequate hand vashing, shower, and toilet facilities are available. 4. Suitable hand cleansers, paper towel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and bathtubs are clean and asmitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 4. Adequate tool storage is provided. 5. Neck strips/sanitary towels are available. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be ch						
1. Adequate hand washing facilities are available. 2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper towel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and bathtubs are clean and sanitized. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate facilities for sterilization of tools are available. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/ for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previo		<u> </u>				
2. Adequate storage space exists for supplies. 3. Wash temperatures meet or exceed 160 degrees Fahrenheit at point of entry Water temperatures lower than 160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations. 4. Soiled and clean laundry is separated. 5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES 1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair. 2. Adequate hand washing, shower, and toilet facilities are available. 3. Commodes and urinals are clean, properly sanitized, and in good repair. 4. Suitable hand cleansers, paper towel, or approved dryers are available. 5. Restrooms are well ventilated, free from odor. 6. Showers and bathtubs are clean and an good repair. 7. Shower curtains are clean and in good repair. 8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES 1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/ for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be chec			В.	LAUNDRY		
160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations.  4. Soiled and clean laundry is separated.  5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES  1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair.  2. Adequate hand washing, shower, and toilet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Suitable hand cleansers, paper towel, or approved dryers are available.  5. Restrooms are well ventilated, free from odor.  6. Showers and bathtubs are clean and sanitized.  7. Shower curtains are clean and in good repair.  8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES  1. Adequate tool storage is provided.  2. Adequate facilities for sterilization of tools are available.  3. Tools are maintained in good repair and are clean.  4. Adequate supply of clean towels is provided.  5. Neck strips/sanitary towels are available.  6. Hot and cold running water is readily available at appropriate temperatures.  7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/ for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.			1.	Adequate hand washing facilities	are available.	
160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations.  4. Soiled and clean laundry is separated.  5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES  1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair.  2. Adequate hand washing, shower, and toilet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Suitable hand cleansers, paper towel, or approved dryers are available.  5. Restrooms are well ventilated, free from odor.  6. Showers and bathtubs are clean and sanitized.  7. Shower curtains are clean and in good repair.  8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES  1. Adequate tool storage is provided.  2. Adequate facilities for sterilization of tools are available.  3. Tools are maintained in good repair and are clean.  4. Adequate supply of clean towels is provided.  5. Neck strips/sanitary towels are available.  6. Hot and cold running water is readily available at appropriate temperatures.  7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/ for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.			2.	Adequate storage space exists fo	r supplies.	
160 degrees Fahrenheit are acceptable if laundry chemicals suitable for low-temperature washing are used at proper concentrations.  4. Soiled and clean laundry is separated.  5. Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES  1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair.  2. Adequate hand washing, shower, and toilet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Suitable hand cleansers, paper towel, or approved dryers are available.  5. Restrooms are well ventilated, free from odor.  6. Showers and bathtubs are clean and sanitized.  7. Shower curtains are clean and in good repair.  8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES  1. Adequate tool storage is provided.  2. Adequate facilities for sterilization of tools are available.  3. Tools are maintained in good repair and are clean.  4. Adequate supply of clean towels is provided.  5. Neck strips/sanitary towels are available.  6. Hot and cold running water is readily available at appropriate temperatures.  7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/ for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.			3.			
4. Solied and clean laundry is separated.  Window screens are in place and maintained in good repair.  C. RESTROOM/SHOWER FACILITIES  1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair.  2. Adequate hand washing, shower, and toilet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Suitable hand cleansers, paper towel, or approved dyers are available.  5. Restrooms are well ventilated, free from odor.  6. Showers and bathubs are clean and sanitized.  7. Shower curtains are clean and in good repair.  8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES  1. Adequate tool storage is provided.  2. Adequate facilities for sterilization of tools are available.  3. Tools are maintained in good repair and are clean.  4. Adequate supply of clean towels is provided.  5. Neck strips/sanitary towels are available.  6. Hot and cold running water is readily available at appropriate temperatures.  7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/ for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.				160 degrees Fahrenheit are acce	ptable if laundry chemicals	s suitable for low-temperature washing are used at
C. RESTROOM/SHOWER FACILITIES  1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair.  2. Adequate hand washing, shower, and toilet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Suitable hand cleansers, paper towel, or approved dryers are available.  5. Restrooms are well ventilated, free from odor.  6. Showers and bathtubs are clean and sanitized.  7. Shower curtains are clean and in good repair.  8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES  1. Adequate tool storage is provided.  2. Adequate facilities for sterilization of tools are available.  3. Tools are maintained in good repair and are clean.  4. Adequate supply of clean towels is provided.  5. Neck strips/sanitary towels are available.  6. Hot and cold running water is readily available at appropriate temperatures.  6. Hot and cold running water is readily available at appropriate temperatures.  7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/ for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.						
C. RESTROOM/SHOWER FACILITIES  1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair.  2. Adequate hand washing, shower, and toilet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Suitable hand cleansers, paper towel, or approved dryers are available.  5. Restrooms are well ventilated, free from odor.  6. Showers and bathtubs are clean and sanitized.  7. Shower curtains are clean and in good repair.  8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES  1. Adequate tool storage is provided.  2. Adequate tool storage is provided.  3. Tools are maintained in good repair and are clean.  4. Adequate supply of clean towels is provided.  5. Neck strips/sanitary towels are available.  5. Neck strips/sanitary towels are available.  6. Hot and cold running water is readily available at appropriate temperatures.  7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N// for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.						
1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair.  2. Adequate hand washing, shower, and toilet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Suitable hand cleansers, paper towel, or approved dryers are available.  5. Restrooms are well ventilated, free from odor.  6. Showers and bathtubs are clean and sanitized.  7. Shower curtains are clean and in good repair.  8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES  1. Adequate tool storage is provided.  2. Adequate facilities for sterilization of tools are available.  3. Tools are maintained in good repair and are clean.  4. Adequate supply of clean towels is provided.  5. Neck strips/sanitary towels are available.  6. Hot and cold running water is readily available at appropriate temperatures.  7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N// for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.			5.	Window screens are in place and	maintained in good repair	
1. Restroom walls, grouting, ceiling, floors, mirror, and all attachments are clean and in good repair.  2. Adequate hand washing, shower, and toilet facilities are available.  3. Commodes and urinals are clean, properly sanitized, and in good repair.  4. Suitable hand cleansers, paper towel, or approved dryers are available.  5. Restrooms are well ventilated, free from odor.  6. Showers and bathtubs are clean and sanitized.  7. Shower curtains are clean and in good repair.  8. Hot water temperatures are thermostatically controlled to temperatures ranging from 100 degrees Fahrenheit to 120 degrees Fahrenheit. (ACI 3-4134)  D. HAIR CARE FACILITIES  1. Adequate tool storage is provided.  2. Adequate facilities for sterilization of tools are available.  3. Tools are maintained in good repair and are clean.  4. Adequate supply of clean towels is provided.  5. Neck strips/sanitary towels are available.  6. Hot and cold running water is readily available at appropriate temperatures.  7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N// for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.			•	DESTROOM/SHOWER FACILITY	IEC	
D. HAIR CARE FACILITIES  1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						hmonto are along and in good repair
D. HAIR CARE FACILITIES  1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
D. HAIR CARE FACILITIES  1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
D. HAIR CARE FACILITIES  1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
D. HAIR CARE FACILITIES  1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						ic available.
D. HAIR CARE FACILITIES  1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
D. HAIR CARE FACILITIES  1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
D. HAIR CARE FACILITIES  1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						mperatures ranging from
1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:			O.			
1. Adequate tool storage is provided. 2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:			n	HAID CADE EACH ITIES		
2. Adequate facilities for sterilization of tools are available. 3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:					1	
3. Tools are maintained in good repair and are clean. 4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N// for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand helethermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
4. Adequate supply of clean towels is provided. 5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand helethermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
5. Neck strips/sanitary towels are available. 6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/r for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand helethermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:			-			
6. Hot and cold running water is readily available at appropriate temperatures. 7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery. 8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N// for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hele thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
7. Chairs/furnishings are clean and free of rips, cuts and/or tears in upholstery.  8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/of or the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hele thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						e temperatures
8. All hazardous materials are handled and maintained in conformity with the provisions of IMPP 12-112.  INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N// for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hele thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:						
INSTRUCTIONS: Each item must be rated Satisfactory (S) or Unsatisfactory (U) unless the item is not applicable. If not applicable, insert N/n for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in the column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand helethermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:				S S		'
for the non-applicable items. Each item found unsatisfactory on the previous monthly inspection shall be identified by inserting "U" in th column marked "Previous Month". Actual temperatures in showers and washbasins in restrooms should be checked with a hand hel-thermometer; laundry temperatures should be checked using the external thermometers on washers.  COMMENTS:			0.	7 III Hazardodo Materialo dre Hariai		offinity with the provisions of fivil 1 12 112.
	for the r	on-applica marked "P	ible item revious	ns. Each item found unsatisfactory Month". Actual temperatures in s	on the previous monthly howers and washbasins	inspection shall be identified by inserting "U" in the in restrooms should be checked with a hand held
Signature and Title of Inspector  Date Signed			COMM	ENTS:		
Signature and Title of Inspector  Date Signed						
- U	Signatur	e and Title	of Inspe	ector		Date Signed

Form # 09-102-001

# WEEKLY HEALTH AND SANITATION REPORT (ACI 3-4305)

(Food Service and Dining Areas Only)

		Facility:	Area Inspected:Building:Week of:
C	Deside		
Current Week			FIRE SAFETY
			Hood suppression systems readiness.
		2	Fire extinguisher(s) are ready and access is clear.
		3.	Emergency exits are unobstructed and emergency exit signs are visible.
		4.	Evacuation plans and evacuation routes are publicly posted.
		В.	INDUSTRIAL SAFETY
		1.	Toxic/caustic cleaning supplies are properly labeled, inventoried/accounted for, and stored when not in use.
		2.	Wet floor signs are posted when kitchen/dining room floors are wet; floors are kept dry, if possible.
		3.	Lighting, ventilation, noise levels, and temperatures are maintained appropriate to the setting.
		4.	All hot water pipes in the area are properly insulated.
		5.	First aid supplies and safety equipment are available and used as required.
		C.	SANITATION
			A supply of clean towels/wiping cloths are maintained for food service workers' use, soiled laundry is separate/covered.
		2.	Mops/mop buckets are clean and in satisfactory condition, properly stored when not in use, soiled mops are covered.
<u> </u>		3.	Floors, walls, windows, doors, ceilings, tables, and work surfaces are clean and in good repair.  Garbage/trash containers are covered except during meal preparation and clean-up.
		<del>-1</del> . 5	Sewage, garbage, and trash is removed and disposed as scheduled or required, and containers are cleaned.
		6.	Outside trash areas are free of loose debris. Containers are stored on a hard, cleanable surface, are not over-filled, and the lids are kept closed.
		D.	FOOD/FOOD PROTECTION
		1.	All food items are stored either in original or in sealed substitute containers and are properly covered, labeled and dated.
		2.	Food storage area temperatures are recorded daily and are maintained in these ranges: Dry/Shelf stored goods
			45-80 degrees F. Refrigerators/Coolers - 35-40 degrees F. Freezers - 0 degrees or below (ACI 3-4306)  Direct handling of food (including ice) is minimized, and all food handlers use proper utensils and/or wear sanitary
		_	gloves, as appropriate to task/activity. 4. Food dispensing utensils are properly stored during use, cleaned, and secured/stored between meals.
		5.	Hot holding temperatures are maintained for food items being served.
		E.	PERSONNEL
	1	l.	Food Service personnel and inmate workers with diarrhea, open wounds, skin infections, and transmittable diseases are restricted from the food service area.
		2.	Food handlers are referred to medical services for periodic/annual exams or due to illness on the job.
		3.	Food handlers are physically clean, wear clean garments, caps or hair nets and, if applicable, beard masks.
		4.	All persons working in food service, including inmates, are monitored each day for health and cleanliness by the Director of Food Services or designee.
		F.	FOOD EQUIPMENT AND UTENSILS
		1.	All food contact surfaces, pots, pans, trays, and utensils are clean and free of rust, corrosion, cuts, cracks,
		0	detergents, and rough surfaces, and are properly stored.
		2. 3.	All non-food contact surfaces, utensils, exteriors of pots, pans, and trays are clean and properly stored.  Dish washing equipment/facilities are in good repair, maintain appropriate dishwasher temperatures, and function
		J.	properly. Accurate thermometers and chemical test kits are provided and used. Water temperatures are logged daily.
		4.	Ice machines are cleaned and ice scoops are properly stored outside of the machine.
		5.	Serving lines, equipment used to transport food, and dining tables are cleaned and sanitized between meals.
		G.	TOILET AND HAND WASHING FACILITIES
		1.	Toilet rooms, wash basins, and stools/urinals are cleaned daily; sanitary towels/tissues/hand dryers are provided and
		2.	maintained in working/serviceable order.  Hand washing instructions are posted in the toilet rooms and in food preparation areas; compliance is monitored by Food
		-	Services Director or designee.
			must be rated Satisfactory (S) or Unsatisfactory (U). Each item found unsatisfactory on the previous weekly inspection shat in the column marked "Previous Week."
		COMME	NTS:
Signature Form #09			tor Date Signed

# MONTHLY HEALTH AND SANITATION REPORT (ACI 3-4305)

(Food Service and Dining Areas Only)

Facility:			Area Inspected:	Building:	Month of:
Current	Previous				
Month	Month	A.	FOOD		
		1.		e kitchen, food preparation area, re	
		2.		riginal or in sealed substitute contain	
		3.		od condition and are free of rust, lea	
		4.		he floor on racks or shelves; no foo	
		5.		followed to ensure the rotation of fo	od products (i.e., first-in/first-out).
		В.	FOOD PROTECTION		
		1.		cleaned and sanitized after each us	
		2.		ers are conspicuously displayed and	
		3.			naintained by dietary personnel. (ACI 3-4305)
		4.	degrees F. Refrigerators/Cooler		s 0 degrees or below (ACI 3-4306)
		5.			pancies are noted, work orders documented) in storage areas
		_	for dry storage/shelf goods and		d
		_6.		s, packages) are appropriately date	d, covered/protected, and stored in appropriate temperature
		_	prior to use/re-use.		
		C.	PERSONNEL		and an early beauty decreased in the profession and the discil
		_1.		n the food service area during the p	ast month have documented pre-assignment medical
		2	clearances.	are have been referred to medical a	on viana for pariadia/annual ayama
		Z. 3		ers have been referred to medical s	food service, including inmates, are monitored each day
		J.		the Director of Food Services or des	
		D.	FOOD EQUIPMENT AND UTE		signee.
				utensils (trays, glasses, silver/plasti	c ware, etc.) is clean.
		2.			and free of rust, corrosion, cuts, cracks, and rough surfaces,
			and are properly stored.	, <b>-,</b> ,	g
		3.		xteriors of pots, pans, trays, and ute	ensils are clean/properly stored when not in use.
		4.			ed linens, for use by food service workers.
		5.			nen (kitchen whites/towels/mop heads, etc.) are maintained
			in covered containers until laund	dered.	
		6.			opriate final rinse water temperatures, and function properly.
				emical test kits are provided and use	
		7.		are cleaned and sanitized between	
		8.		aintained for food items being serve	ed
			SEWAGE, GARBAGE, AND TE		
		1.		e disposed of/removed as scheduled	
		2.		overed except during meal preparat	ion and clean-up.
		3.	Garbage/trash containers are cl		red on a hard, cleanable surface. Containers are not over-
		J.	filled and lids are kept closed.	oose debris and containers are stor	ed off a flard, clearlable surface. Containers are flot over
		F.	PLUMBING		
		1.		rvice is leak-free, operable, and pre	vents backflow.
		G.	TOILET AND HAND WASHING		
		1.			ient/accessible to food service workers,.
		2.			food preparation/serving areas. Compliance by all food
			service workers is monitored by	the Director of Food Services or de	esignee.
		3.			ures and equipment function properly and are clean.
				wels and toilet tissue are stocked a	nd made available for use.
		H.	INSECT AND RODENT CONTR		
		1.		ood storage and food service area is	
		2.		are protected; animals are prohibited	
		3.		med per a pre-arranged schedule a	nd/or as needed. Such service visits are documented.
		I.	GENERAL CONDITIONS		and attacked and an analysis and an and an airtein adding
		1.		ceilings, tables, chairs/seats, disper	sers, and attached equipment are clean and maintained in
		2	good repair.	s, and room/area temperatures are	appropriate to the cotting
		2. 3.			appropriate to the setting. eventoried, and stored away from food items.
		3. 4.		eaning equipment is properly stored	
		٦.	r remises are free of filler and ch	caring equipment is properly stored	i, maintained, and Saintized.
		ng "U" i	em must be rated Satisfactory (S) or n the column marked "Previous Mon MENTS:		nd unsatisfactory on the previous monthly inspection shall be
		- 3			
Signature	e and Title	of Inon	octor		Date Signed
Signature	t and the	oi irisp	CCIOI		Date Signed

Form #09-102-003